VALBENNE SA

Technical Sheet

REV 01 - 11-01-2024 - 76-C5-EN-ECOREC



EVO 30 MONO ECO REC YER-YER

DESCRIPTION

- Disposable containers for special hospital waste disposal

GENERAL INFORMATION

Closing device	Solid lid with sealing glue
Material:	Recycled plastic material (100% polypropylene copolimer)
Colour:	Yellow Body and lid. Materials coloured with masterbatch without heavy metals and cadmium. Materials compliant to REACH



Shape:	Truncated pyramid
Colla coperchio	No LATEX
Weight:	1160 g
Max Load:	10 kg
Nominal capacity:	30 L
Real capacity:	28 L
Useful capacity:	23 L
External dim.:	30 x 40 x 33,4 H cm (Lid assembled)
Base dim.:	33,7 x 23,5 cm

LOGISTIC DATA

Packaging	Containers stacked onto the pallet together with lids: all shrink wrapped
Pcs per pallet:	212
Pallet dimensions:	120x80x225 H cm

CERTIFICATIONS:

- Compliant to ISO 23907-1:2019
- Compliant to ADR/UN REC

VALBENNE SA

EVO 30 MONO ECO REC YER-YER

INSTRUCTIONS MONO LID

- **Temporary closure:**
  Place the solid lid on the body without pressing


- **During use:**
  Mono lid can be hooked to the body:

On the long side



On the short side





- **Permanent closure:**

1st step
Push on two opposite corners to firmly hook the lid on the body



2nd step
Push on the other two opposite corners




3rd step
Push on the edge of the short sides and insert the clips




4th step
Push on the edge of the long sides and insert the clips



A sound ensures that the clip has been correctly inserted and the clip can be seen in the edge of the lid





DISPOSAL

- Once full, the container must be disposed according to current law. If incinerated, the container does not release any toxic emission.

VALBENNE SA

EVO 30 MONO ECO REC YER-YER

TRANSPORT OF THE CONTAINER IN DEFINITIVE CLOSURE

- 1- With the central handle



- 2- With the sides handles



ACCESSORIES

- Possibility to use the container MONO with the INOX metal trolley equipped with four wheels (two with brackets) and pedal to open the lid



SAFETY INFORMATION:

- Use the container only with its own lid
- Ensure that the lid is securely fastened
- Do not exceed the filling level
- Do not try to recuperate objects inside
- Do not try to open the container once permanently and irreversibly sealed
- Container to dispose according to the existing law
- Follow the instructions of use to ensure the safety of the container
- Use handles to move the container

ADVANTAGES:

- Handle provided on the solid lid for safe handling
- Suitable to autoclave at 134°C for 18 minutes
- Handles are tested for the double of maximum load
- Very stable containers, stackable with the best logistic solution to reduce the transport costs as well as the stocks costs
- Stackable up to 3 m. full load
- Hermetic closure even in reversed position
- High shock resistance at both low and high temperature
- High perforation resistance
- Easy to use
- Safe permanent closure
- No noxious gas released during the incineration process
- Body equipped with two side ergonomic handles (easy grasp even if with gloves)