Hoist medical	**TECHNICAL DATA SHEET NASOGASTRIC FEEDING TUBES / FICHE TECHNIQUE SONDES NASOGASTRIQUES**	REVISION : FV-04 DATE : 25/09/2025

Device description

Trade Name: **STARFIT™**

Device Category (MDN Code)

MDN1202 (Non-active non implantable devices)

European Medical Device Nomenclature (EMDN Code)

G02020101 (Nasogastric Tubes)

General description:

Polyurethane Nasogastric feeding tube for continuous or intermittent enteral feeding

Range:

Code	Description
NG	Nasogastric Feeding Tube
NGG	Nasogastric Feeding Tubes with Stylet
NGW	Nasogastric Feeding Tubes weigthed with Stylet
NGGBY	Nasogastric Feeding Tube with bolus and Stylet
NGWBY	Nasogastric Feeding Tube weighted with bolus and Stylet
NGV	Nasogastric Feeding and aspiration Tube
NGGV	Nasogastric Feeding and aspiration Tube with Stylet

Characteristics:

- Polyurethane tube with extra thin walls, low adhesion and high chemical resistance
- ENFit® Connector compliant with ISO 80369-3
- Radiopaque tube over its entire length
- Centimetric marks for easy insertion and localisation
- Available with Y connector, stylet and weights

Catalogue codes:

Code	Connector	Stylet	Weights	French Size	Length	Printing	Holes
NG	ENFit® Connector	No	No	Fr04	50 Cm	05 To 40	2 Lateral Holes
					80 Cm	05 To 40	
					120 Cm	20 To 80	
				Fr05	50 Cm	05 To 40	
					80 Cm	05 To 40	
					120 Cm	20 To 80	
				Fr06	50 Cm	05 To 40	
					80 Cm	05 To 40	
					120 Cm	20 To 80	
				Fr08	50 Cm	05 To 40	
					80 Cm	05 To 40	
					120 Cm	20 To 80	
				Fr10	50 Cm	05 To 40	
					80 Cm	05 To 40	
					120 Cm	20 To 80	
				Fr12	120 Cm	20 To 80	4 aligned Holes
				Fr14	120 Cm	20 To 80	4 aligned Holes
				Fr16	120 Cm	20 To 80	4 aligned Holes
				Fr18	120 Cm	20 To 80	4 aligned Holes
NGG	ENFit® Connector	Yes	No	Fr06	80 Cm	10 To 60	Bolus Tip
					92 Cm	10 To 60	
					120 Cm	20 To 80	
				Fr08	80 Cm	10 To 60	
					92 Cm	10 To 60	
					120 Cm	20 To 80	
				Fr10	80 Cm	10 To 60	
					92 Cm	10 To 60	
					120 Cm	20 To 80	
				Fr12	80 Cm	10 To 60	
					92 Cm	10 To 60	
					120 Cm	20 To 80	
				Fr14	80 Cm	10 To 60	
					92 Cm	10 To 60	
					120 Cm	20 To 80	
NGW	ENFit® Connector	Yes	Yes	Fr08	120 Cm	20 To 80	2 Lateral Holes
					140 Cm	40 To 100	
				Fr10	120 Cm	20 To 80	2 Lateral Holes
					140 Cm	40 To 100	
				Fr12	120 Cm	20 To 80	4 Aligned Holes
					140 Cm	40 To 100	
				Fr14	120 Cm	20 To 80	4 Aligned Holes
					140 Cm	40 To 100	
		No	No	Fr08	120 Cm	20 To 80	2 Lateral Holes

NGV	Aspiration + ENFit® Connector			Fr10	120 Cm	20 To 80	4 Aligned Holes
				Fr12	120 Cm	20 To 80	4 Aligned Holes
				Fr14	120 Cm	20 To 80	4 Aligned Holes
				Fr16	120 Cm	20 To 80	4 Aligned Holes
				Fr18	120 Cm	20 To 80	4 Aligned Holes
NGGV	Aspiration + ENFit® Connector	Yes	No	Fr08	120 Cm	20 To 80	2 Lateral Holes
				Fr10	120 Cm	20 To 80	4 Aligned Holes
				Fr12	120 Cm	20 To 80	4 Aligned Holes
				Fr14	120 Cm	20 To 80	4 Aligned Holes
				Fr16	120 Cm	20 To 80	4 Aligned Holes
				Fr18	120 Cm	20 To 80	4 Aligned Holes
NGGBY	Y double port / ENFit® Connector	Yes	No	Fr08	80 Cm	10 To 60	Bolus Tip
					92 Cm	10 To 60	
					120 Cm	20 To 80	
				Fr10	80 Cm	10 To 60	
					92 Cm	10 To 60	
					120 Cm	20 To 80	
				Fr12	80 Cm	10 To 60	
					92 Cm	10 To 60	
					120 Cm	20 To 80	
				Fr14	80 Cm	10 To 60	
					92 Cm	10 To 60	
					120 Cm	20 To 80	
NGWBY	Y double port / ENFit® Connector	Yes	Yes	Fr08	80 Cm	10 To 60	Bolus Tip
					92 Cm	10 To 60	
					120 Cm	20 To 80	
					140 Cm	40 To 100	
				Fr10	80 Cm	10 To 60	
					92 Cm	10 To 60	
					120 Cm	20 To 80	
					140 Cm	40 To 100	
				Fr12	80 Cm	10 To 60	
					92 Cm	10 To 60	
					120 Cm	20 To 80	
					140 Cm	40 To 100	
				Fr14	80 Cm	10 To 60	
					92 Cm	10 To 60	
					120 Cm	20 To 80	
					140 Cm	40 To 100	

Product Range and UDI

❖ NG Code



- Basic UDI : 376034811200.01B8

SKU	Unit UDI-DI	Box UDI-DI	Cardbord UDI-DI	Pallet UDI-DI
NG 04-50	03760348110546	13760348110543	23760348110540	33760348110547
NG 04-80	03760348110539	13760348110536	23760348110533	33760348110530
NG 04-120	03760348110522	13760348110529	23760348110526	33760348110523
NG 05-50	03760348111697	13760348111694	23760348111691	33760348111698
NG 05-80	03760348111703	13760348111700	23760348111707	33760348111704
NG 05-120	03760348111710	13760348111717	23760348111714	33760348111711
NG 06-50	03760348110508	13760348110505	23760348110502	33760348110509
NG 06-80	03760348110492	13760348110499	23760348110496	33760348110493
NG 06-120	03760348110485	13760348110482	23760348110489	33760348110486
NG 08-50	03760348110461	13760348110468	23760348110465	33760348110462
NG 08-80	03760348110454	13760348110451	23760348110458	33760348110455
NG 08-120	03760348110447	13760348110444	23760348110441	33760348110448
NG 10-50	03760348110430	13760348110437	23760348110434	33760348110431
NG 10-80	03760348110423	13760348110420	23760348110427	33760348110424
NG 10-120	03760348110416	13760348110413	23760348110410	33760348110417
NG 12-120	03760348110379	13760348110376	23760348110373	33760348110370
NG 14-120	03760348110362	13760348110369	23760348110366	33760348110363
NG 16-120	03760348110355	13760348110352	23760348110359	33760348110356
NG 18-120	03760348112168	13760348112165	23760348112162	33760348112169

❖ NGG Code



- Basic UDI : 376034811200.02BA

SKU	Unit UDI-DI	Box UDI-DI	Cardbord UDI-DI	Pallet UDI-DI
NGG 06-80	03760348111796	13760348111793	23760348111790	33760348111797
NGG 06-92	03760348111802	13760348111809	23760348111806	33760348111803
NGG 06-120	03760348111819	13760348111816	23760348111813	33760348111810
NGG 08-80	03760348111826	13760348111823	23760348111820	33760348111827
NGG 08-92	03760348111833	13760348111830	23760348111837	33760348111834
NGG 08-120	03760348110348	13760348110345	23760348110342	33760348110349
NGG 10-80	03760348111840	13760348111847	23760348111844	33760348111841
NGG 10-92	03760348111857	13760348111854	23760348111851	33760348111858
NGG 10-120	03760348110331	13760348110338	23760348110335	33760348110332
NGG 12-80	03760348111864	13760348111861	23760348111868	33760348111865
NGG 12-92	03760348111871	13760348111878	23760348111875	33760348111872
NGG 12-120	03760348110324	13760348110321	23760348110328	33760348110325
NGG 14-80	03760348111888	13760348111885	23760348111882	33760348111889

NGG 14-92	03760348111895	13760348111892	23760348111899	33760348111896
NGG 14-120	03760348110317	13760348110314	23760348110311	33760348110318
NGG 16-120	03760348110300	13760348110307	23760348110304	33760348110301
NGG 18-120	03760348110294	13760348110291	23760348110298	33760348110295

❖ NGW Code



- Basic UDI : 376034811200.03BC

SKU	Unit UDI-DI	Box UDI-DI	Cardbord UDI-DI	Pallet UDI-DI
NGW 08-120	03760348110287	13760348110284	23760348110281	33760348110288
NGW 08-140	03760348111901	13760348111908	23760348111905	33760348111902
NGW 10-120	03760348110270	13760348110277	23760348110274	33760348110271
NGW 10-140	03760348111918	13760348111915	23760348111912	33760348111919
NGW 12-120	03760348110263	13760348110260	23760348110267	33760348110264
NGW 12-140	03760348111925	13760348111922	23760348111929	33760348111926
NGW 14-120	03760348110256	13760348110253	23760348110250	33760348110257
NGW 14-140	03760348111932	13760348111939	23760348111936	33760348111933

❖ NGGBY Code



- Basic UDI : 376034811200.04BE

SKU	Unit UDI-DI	Box UDI-DI	Cardbord UDI-DI	Pallet UDI-DI
NGGBY 08-80	03760348111949	13760348111946	23760348111943	33760348111940
NGGBY 08-92	03760348111956	13760348111953	23760348111950	33760348111957
NGGBY 08-120	03760348111734	13760348111731	23760348111738	33760348111735
NGGBY 10-80	03760348111963	13760348111960	23760348111967	33760348111964
NGGBY 10-92	03760348111970	13760348111977	23760348111974	33760348111971
NGGBY 10-120	03760348111741	13760348111748	23760348111745	33760348111742
NGGBY 12-80	03760348111987	13760348111984	23760348111981	33760348111988
NGGBY 12-92	03760348111994	13760348111991	23760348111998	33760348111995
NGGBY 12-120	03760348111758	13760348111755	23760348111752	33760348111759
NGGBY 14-80	03760348112007	13760348112004	23760348112001	33760348112008
NGGBY 14-92	03760348112014	13760348112011	23760348112018	33760348112015
NGGBY 14-120	03760348112021	13760348112028	23760348112025	33760348112022

❖ NGWBY Code



- Basic UDI : 376034811200.05BG

SKU	Unit UDI-DI	Box UDI-DI	Cardbord UDI-DI	Pallet UDI-DI
NGWBY 08-80	03760348112038	13760348112035	23760348112032	33760348112039
NGWBY 08-92	03760348112045	13760348112042	23760348112049	33760348112046
NGWBY 08-120	03760348111765	13760348111762	23760348111769	33760348111766
NGWBY 08-140	03760348112052	13760348112059	23760348112056	33760348112053
NGWBY 10-80	03760348112069	13760348112066	23760348112063	33760348112060
NGWBY 10-92	03760348112076	13760348112073	23760348112070	33760348112077
NGWBY 10-120	03760348111772	13760348111779	23760348111776	33760348111773
NGWBY 10-140	03760348112083	13760348112080	23760348112087	33760348112084
NGWBY 12-80	03760348112090	13760348112097	23760348112094	33760348112091
NGWBY 12-92	03760348112106	13760348112103	23760348112100	33760348112107
NGWBY 12-120	03760348111789	13760348111786	23760348111783	33760348111780
NGWBY 12-140	03760348112113	13760348112110	23760348112117	33760348112114
NGWBY 14-80	03760348112120	13760348112127	23760348112124	33760348112121
NGWBY 14-92	03760348112137	13760348112134	23760348112131	33760348112138
NGWBY 14-120	03760348112144	13760348112141	23760348112148	33760348112145
NGWBY 14-140	03760348112151	13760348112158	23760348112155	33760348112152

❖ NGV Code



- Basic UDI : 376034811200.06BJ

SKU	Unit UDI-DI	Box UDI-DI	Cardbord UDI-DI	Pallet UDI-DI
NGV 08-120	03760348111628	13760348111625	23760348111622	33760348111629
NGV 10-120	03760348111635	13760348111632	23760348111639	33760348111636
NGV 12-120	03760348111642	13760348111649	23760348111646	33760348111643
NGV 14-120	03760348111659	13760348111656	23760348111653	33760348111650
NGV 16-120	03760348111666	13760348111663	23760348111660	33760348111667
NGV 18-120	03760348111673	13760348111670	23760348111677	33760348111674

❖ NGGV Code








- Basic UDI : 376034811200.07BL










SKU	Unit UDI-DI	Box UDI-DI	Cardbord UDI-DI	Pallet UDI-DI
NGGV 08-120	03760348111567	13760348111564	23760348111561	33760348111568
NGGV 10-120	03760348111550	13760348111557	23760348111554	33760348111551
NGGV 12-120	03760348111543	13760348111540	23760348111547	33760348111544
NGGV 14-120	03760348111536	13760348111533	23760348111530	33760348111537
NGGV 16-120	03760348111529	13760348111526	23760348111523	33760348111520
NGGV 18-120	03760348111512	13760348111519	23760348111516	33760348111513




Presentation and packaging

Reference	Unit packaging	Quantity per box	Quantity per Cardbord	Quantity per Pallet
NG 04 Fr to 08 Fr	Soft blister	30	480	11520
NG 10 Fr	Soft blister	20	320	7680
NG 12 Fr to 18 Fr	Soft blister	10	160	3840
NGG 08 Fr to 10 Fr	Soft blister	20	320	7680
NGG 12 Fr to 16 Fr	Soft blister	10	160	3840
NGW 08 Fr to 10 Fr	Soft blister	20	320	7680
NGW 12 Fr to 16 Fr	Soft blister	10	160	3840
NGGBY 08 Fr to 10 Fr	Soft blister	10	160	3840
NGGBY 12 Fr to 14 Fr	Soft blister	10	160	3840
NGWBY 08 Fr to 10 Fr	Soft blister	10	160	3840
NGWBY 12 Fr to 14 Fr	Soft blister	10	160	3840
NGV 08 Fr to 10 Fr	Soft blister	20	320	7680
NGV 12 Fr to 18 Fr	Soft blister	10	160	3840
NGGV 08 Fr to 10 Fr	Soft blister	20	320	7680
NGGV 12 Fr to 18 Fr	Soft blister	10	160	3840

Labelling

Product	Unit labelling	Box labelling	Card labelling
ADULT NASOGASTRIC FEEDING TUBE ENFit® NG XX-XXX XX: French XXX: Length			
NEONAT AND INFANT FEEDING TUBE ENFit® NG XX-XXX XX: French XXX: Length			

ADULT NASOGASTRIC FEEDING TUBE ENFit® NGV XX-XXX XX: French XXX: Length			
ADULT NASOGASTRIC FEEDING TUBE ENFit® NGW XX-XXX XX: French XXX: Length			
ADULT AND PEDIA NASOGASTRIC FEEDING TUBE ENFit® NGG XX-XXX XX: French XXX: Length			
ADULT NASOGASTRIC FEEDING TUBE ENFit® NGGV XX-XXX XX: French XXX: Length			

ADULT NASOGASTRIC FEEDING TUBE ENFit® NGGBY XX-XXX XX : French XXX: Length			
ADULT NASOGASTRIC FEEDING TUBE ENFit® NGWBY XX-XXX XX: French XX: Length			

Composition

Tube	Polyurethane
Connectors	Polyurethane /ABS
Weight	Tungsten
Stylet	Stainless Steel

- Absence of products of animal or biological origin
- Contains no drugs or products derived from human blood
- Contains no Latex, no DOP/DEHP, no Bisphenol A

Sterilization

- Sterilized by ethylene oxide
- The sterilization process is validated according to the standard EN ISO 11135 current version
- Ethylene oxide residues meets the requirements of the standards ISO 10993-7 current version

Safety of use

- Single use
- Store in a clean and dry place at room temperature
- 2 years expiry from the date of manufacturing
- Recommended use duration for paediatric tubes : 7 days
- Recommended use duration for adult tubes: 3 to 4 weeks
- Indications, contraindications and warnings: see instructions for use

Regulatory

Applicable European Regulation	MDR (UE) 745/2017
DM Class	IIa
Notified Body	DQS-CE0297
Certificate Registration number	551177 MDR2017Q
Certificate ID	100033594
First Market Launch in the EU	2024
Manufacturer	Hoist-Medical
Materio-vigilance Correspondent	Bernard Daurelle Phone: +33 607 386 354 e-mail: Bernard.daurelle@hoist-medical.com

Administrative Information

Address	Hoist-Medical 23 Quai de Rive Neuve 13007 Marseille France
Phone	+33 4 91767329
e-mail	commercial@hoist-medical.com
Web Site	hoist-medical.com

Description du dispositif

Nom commercial : **STARFIT™**

Catégorie du dispositif (code MDN)

MDN1202 (Dispositifs non implantables non actifs)

Nomenclature européenne des dispositifs médicaux (code EMDN)

G02020101 (sondes nasogastriques)

Description générale :

Sonde d'alimentation nasogastrique en polyuréthane pour l'alimentation entérale continue ou intermittente

Gamme:

Code	Description
NG	Sonde d'alimentation nasogastrique
NGG	Sondes d'alimentation nasogastrique avec guide
NGW	Sondes d'alimentation nasogastrique lestées avec guide
NGGBY	Sonde d'alimentation nasogastrique avec bolus et guide
NGWBY	Sonde d'alimentation nasogastrique lestée avec bolus et guide
NGV	Sonde d'alimentation et d'aspiration nasogastrique
NGGV	Sonde d'alimentation et d'aspiration nasogastrique avec guide

Caractéristiques:

- Tube en polyuréthane à parois extra minces, à faible adhérence et à haute résistance chimique
- Connecteur ENFit® conforme à la norme ISO 80369-3
- Tube radio-opaque sur toute sa longueur
- Repères centimétriques pour une insertion et une localisation aisées.
- Disponible avec connecteur en Y, guide et lestées.

Codes catalogue :

Code	Connecteur	Guide	Lest	Taille Fr	Longueur	Impression	Orifices
NG	Connecteur ENFit®	Non	Non	Fr04	50 cm	05 à 40	2 trous latéraux
					80 cm	05 à 40	
					120 cm	20 à 80	
				Fr05	50 cm	05 à 40	
					80 cm	05 à 40	
					120 cm	20 à 80	
				Fr06	50 cm	05 à 40	
					80 cm	05 à 40	
					120 cm	20 à 80	
				Fr08	50 cm	05 à 40	
					80 cm	05 à 40	
					120 cm	20 à 80	
				Fr10	50 cm	05 à 40	
					80 cm	05 à 40	
					120 cm	20 à 80	
				Fr12	120 cm	20 à 80	4 trous alignés
				Fr14	120 cm	20 à 80	4 trous alignés
				Fr16	120 cm	20 à 80	4 trous alignés
				Fr18	120 cm	20 à 80	4 trous alignés
NGG	Connecteur ENFit®	Oui	Non	Fr06	80 cm	10 à 60	Embout bolus
					92 cm	10 à 60	
					120 cm	20 à 80	
				Fr08	80 cm	10 à 60	
					92 cm	10 à 60	
					120 cm	20 à 80	
				Fr10	80 cm	10 à 60	
					92 cm	10 à 60	
					120 cm	20 à 80	
				Fr12	80 cm	10 à 60	
					92 cm	10 à 60	
					120 cm	20 à 80	
				Fr14	80 cm	10 à 60	
					92 cm	10 à 60	
					120 cm	20 à 80	
NGW	Connecteur ENFit®	Oui	Oui	Fr08	120 cm	20 à 80	2 trous latéraux
					140 cm	40 à 100	
				Fr10	120 cm	20 à 80	2 trous latéraux
					140 cm	40 à 100	
				Fr12	120 cm	20 à 80	4 trous alignés
					140 cm	40 à 100	
				Fr14	120 cm	20 à 80	4 trous alignés
					140 cm	40 à 100	
NGV		Non	Non	Fr08	120 cm	20 à 80	2 trous latéraux
				Fr10	120 cm	20 à 80	4 trous alignés

	Aspiration + Connecteur ENFit®			Fr12	120 cm	20 à 80	4 trous alignés
				Fr14	120 cm	20 à 80	4 trous alignés
				Fr16	120 cm	20 à 80	4 trous alignés
				Fr18	120 cm	20 à 80	4 trous alignés
NGGV	Aspiration + Connecteur ENFit®	Oui	Non	Fr08	120 cm	20 à 80	2 trous latéraux
				Fr10	120 cm	20 à 80	4 trous alignés
				Fr12	120 cm	20 à 80	4 trous alignés
				Fr14	120 cm	20 à 80	4 trous alignés
				Fr16	120 cm	20 à 80	4 trous alignés
				Fr18	120 cm	20 à 80	4 trous alignés
NGGBY	Y double port / ENFit® Connector	Oui	Non	Fr08	80 cm	10 à 60	Embout bolus
					92 cm	10 à 60	
					120 cm	20 à 80	
				Fr10	80 cm	10 à 60	
					92 cm	10 à 60	
					120 cm	20 à 80	
				Fr12	80 cm	10 à 60	
					92 cm	10 à 60	
					120 cm	20 à 80	
				Fr14	80 cm	10 à 60	
					92 cm	10 à 60	
					120 cm	20 à 80	
NGWBY	Y double port / ENFit® Connector	Oui	Oui	Fr08	80 cm	10 à 60	Embout bolus
					92 cm	10 à 60	
					120 cm	20 à 80	
					140 cm	40 à 100	
				Fr10	80 cm	10 à 60	
					92 cm	10 à 60	
					120 cm	20 à 80	
					140 cm	40 à 100	
				Fr12	80 cm	10 à 60	
					92 cm	10 à 60	
					120 cm	20 à 80	
					140 cm	40 à 100	
				Fr14	80 cm	10 à 60	
					92 cm	10 à 60	
					120 cm	20 à 80	
					140 cm	40 à 100	

Gamme de produits et IUD

❖ Code NG



- IUD de base : 376034811200.01B8

SKU	IUD-ID Unité	IUD-ID Boîte	IUD-ID Carton	IUD-ID Palette
NG 04-50	03760348110546	13760348110543	23760348110540	33760348110547
NG 04-80	03760348110539	13760348110536	23760348110533	33760348110530
NG 04-120	03760348110522	13760348110529	23760348110526	33760348110523
NG 05-50	03760348111697	13760348111694	23760348111691	33760348111698
NG 05-80	03760348111703	13760348111700	23760348111707	33760348111704
NG 05-120	03760348111710	13760348111717	23760348111714	33760348111711
NG 06-50	03760348110508	13760348110505	23760348110502	33760348110509
NG 06-80	03760348110492	13760348110499	23760348110496	33760348110493
NG 06-120	03760348110485	13760348110482	23760348110489	33760348110486
NG 08-50	03760348110461	13760348110468	23760348110465	33760348110462
NG 08-80	03760348110454	13760348110451	23760348110458	33760348110455
NG 08-120	03760348110447	13760348110444	23760348110441	33760348110448
NG 10-50	03760348110430	13760348110437	23760348110434	33760348110431
NG 10-80	03760348110423	13760348110420	23760348110427	33760348110424
NG 10-120	03760348110416	13760348110413	23760348110410	33760348110417
NG 12-120	03760348110379	13760348110376	23760348110373	33760348110370
NG 14-120	03760348110362	13760348110369	23760348110366	33760348110363
NG 16-120	03760348110355	13760348110352	23760348110359	33760348110356
NG 18-120	03760348112168	13760348112165	23760348112162	33760348112169

❖ NGG Code



- IUD de base : 376034811200.02BA

SKU	IUD-ID Unité	IUD-ID Boîte	IUD-ID Carton	IUD-ID Palette
NGG 06-80	03760348111796	13760348111793	23760348111790	33760348111797
NGG 06-92	03760348111802	13760348111809	23760348111806	33760348111803
NGG 06-120	03760348111819	13760348111816	23760348111813	33760348111810
NGG 08-80	03760348111826	13760348111823	23760348111820	33760348111827
NGG 08-92	03760348111833	13760348111830	23760348111837	33760348111834
NGG 08-120	03760348110348	13760348110345	23760348110342	33760348110349
NGG 10-80	03760348111840	13760348111847	23760348111844	33760348111841
NGG 10-92	03760348111857	13760348111854	23760348111851	33760348111858
NGG 10-120	03760348110331	13760348110338	23760348110335	33760348110332
NGG 12-80	03760348111864	13760348111861	23760348111868	33760348111865
NGG 12-92	03760348111871	13760348111878	23760348111875	33760348111872
NGG 12-120	03760348110324	13760348110321	23760348110328	33760348110325
NGG 14-80	03760348111888	13760348111885	23760348111882	33760348111889

NGG 14-92	03760348111895	13760348111892	23760348111899	33760348111896
NGG 14-120	03760348110317	13760348110314	23760348110311	33760348110318
NGG 16-120	03760348110300	13760348110307	23760348110304	33760348110301
NGG 18-120	03760348110294	13760348110291	23760348110298	33760348110295

❖ NGW Code



- IUD de base : 376034811200.03BC

SKU	IUD-ID Unité	IUD-ID Boîte	IUD-ID Carton	IUD-ID Palette
NGW 08-120	03760348110287	13760348110284	23760348110281	33760348110288
NGW 08-140	03760348111901	13760348111908	23760348111905	33760348111902
NGW 10-120	03760348110270	13760348110277	23760348110274	33760348110271
NGW 10-140	03760348111918	13760348111915	23760348111912	33760348111919
NGW 12-120	03760348110263	13760348110260	23760348110267	33760348110264
NGW 12-140	03760348111925	13760348111922	23760348111929	33760348111926
NGW 14-120	03760348110256	13760348110253	23760348110250	33760348110257
NGW 14-140	03760348111932	13760348111939	23760348111936	33760348111933

❖ NGGBY Code



- IUD de base : 376034811200.04BE

SKU	IUD-ID Unité	IUD-ID Boîte	IUD-ID Carton	IUD-ID Palette
NGGBY 08-80	03760348111949	13760348111946	23760348111943	33760348111940
NGGBY 08-92	03760348111956	13760348111953	23760348111950	33760348111957
NGGBY 08-120	03760348111734	13760348111731	23760348111738	33760348111735
NGGBY 10-80	03760348111963	13760348111960	23760348111967	33760348111964
NGGBY 10-92	03760348111970	13760348111977	23760348111974	33760348111971
NGGBY 10-120	03760348111741	13760348111748	23760348111745	33760348111742
NGGBY 12-80	03760348111987	13760348111984	23760348111981	33760348111988
NGGBY 12-92	03760348111994	13760348111991	23760348111998	33760348111995
NGGBY 12-120	03760348111758	13760348111755	23760348111752	33760348111759
NGGBY 14-80	03760348112007	13760348112004	23760348112001	33760348112008
NGGBY 14-92	03760348112014	13760348112011	23760348112018	33760348112015
NGGBY 14-120	03760348112021	13760348112028	23760348112025	33760348112022

❖ NGWBY Code



- IUD de base : 376034811200.05BG

SKU	IUD-ID Unité	IUD-ID Boîte	IUD-ID Carton	IUD-ID Palette
NGWBY 08-80	03760348112038	13760348112035	23760348112032	33760348112039
NGWBY 08-92	03760348112045	13760348112042	23760348112049	33760348112046
NGWBY 08-120	03760348111765	13760348111762	23760348111769	33760348111766
NGWBY 08-140	03760348112052	13760348112059	23760348112056	33760348112053
NGWBY 10-80	03760348112069	13760348112066	23760348112063	33760348112060
NGWBY 10-92	03760348112076	13760348112073	23760348112070	33760348112077
NGWBY 10-120	03760348111772	13760348111779	23760348111776	33760348111773
NGWBY 10-140	03760348112083	13760348112080	23760348112087	33760348112084
NGWBY 12-80	03760348112090	13760348112097	23760348112094	33760348112091
NGWBY 12-92	03760348112106	13760348112103	23760348112100	33760348112107
NGWBY 12-120	03760348111789	13760348111786	23760348111783	33760348111780
NGWBY 12-140	03760348112113	13760348112110	23760348112117	33760348112114
NGWBY 14-80	03760348112120	13760348112127	23760348112124	33760348112121
NGWBY 14-92	03760348112137	13760348112134	23760348112131	33760348112138
NGWBY 14-120	03760348112144	13760348112141	23760348112148	33760348112145
NGWBY 14-140	03760348112151	13760348112158	23760348112155	33760348112152

❖ Code NGV



- IUD de base : 376034811200.06BJ

SKU	IUD-ID Unité	IUD-ID Boîte	IUD-ID Carton	IUD-ID Palette
NGV 08-120	03760348111628	13760348111625	23760348111622	33760348111629
NGV 10-120	03760348111635	13760348111632	23760348111639	33760348111636
NGV 12-120	03760348111642	13760348111649	23760348111646	33760348111643
NGV 14-120	03760348111659	13760348111656	23760348111653	33760348111650
NGV 16-120	03760348111666	13760348111663	23760348111660	33760348111667
NGV 18-120	03760348111673	13760348111670	23760348111677	33760348111674

❖ NGGV Code







- IUD de base : 376034811200.07BL










SKU	IUD-ID Unité	IUD-ID Boîte	IUD-ID Carton	IUD-ID Palette
NGGV 08-120	03760348111567	13760348111564	23760348111561	33760348111568
NGGV 10-120	03760348111550	13760348111557	23760348111554	33760348111551
NGGV 12-120	03760348111543	13760348111540	23760348111547	33760348111544
NGGV 14-120	03760348111536	13760348111533	23760348111530	33760348111537
NGGV 16-120	03760348111529	13760348111526	23760348111523	33760348111520
NGGV 18-120	03760348111512	13760348111519	23760348111516	33760348111513




Présentation et emballage

Référence	Emballage unitaire	Quantité par boîte	Quantité par Carton	Quantité par palette
NG 04 Fr à 08 Fr	Blister souple	30	480	11520
NG 10 Fr	Blister souple	20	320	7680
NG 12 Fr à 18 Fr	Blister souple	10	160	3840
NGG 08 Fr à 10 Fr	Blister souple	20	320	7680
NGG 12 Fr à 16 Fr	Blister souple	10	160	3840
NGW 08 Fr à 10 Fr	Blister souple	20	320	7680
NGW 12 Fr à 16 Fr	Blister souple	10	160	3840
NGGBY 08 Fr à 10 Fr	Blister souple	10	160	3840
NGGBY 12 Fr à 14 Fr	Blister souple	10	160	3840
NGWBY 08 Fr à 10 Fr	Blister souple	10	160	3840
NGWBY 12 Fr à 14 Fr	Blister souple	10	160	3840
NGV 08 Fr à 10 Fr	Blister souple	20	320	7680
NGV 12 Fr à 18 Fr	Blister souple	10	160	3840
NGGV 08 Fr à 10 Fr	Blister souple	20	320	7680
NGGV 12 Fr à 18 Fr	Blister souple	10	160	3840

Étiquetage

Produit	Étiquetage unitaire	Étiquetage des boîtes	Étiquetage des cartons
SONDE NASOGASTRIQUE ADULTE ENFit® NG XX-XXX XX : Fr XXX : Longueur			
SONDE D'ALIMENTATION NEONAT ET NOURRISSON ENFit® NG XX-XXX XX : Fr XXX : Longueur			

SONDE NASOGASTRIQUE ADULTE ENFit® NGV XX-XXX XX : Fr XXX : Longueur			
SONDE NASOGASTRIQUE ADULTE ENFit® NGW XX-XXX XX : Fr XXX : Longueur			
SONDE NASOGASTRIQUE ADULTE ET PÉDIATRIQUE ENFit® NGG XX-XXX XX : Fr XXX : Longueur			
SONDE NASOGASTRIQUE ADULTE ENFit® NGGV XX-XXX XX : Fr XXX : Longueur			

SONDE NASOGASTRIQUE ADULTE ENFit® NGGBY XX-XXX XX : Fr XXX : Longueur			
SONDE NASOGASTRIQUE ADULTE ENFit® NGWBY XX-XXX XX : Fr XX : Longueur			

Composition

Tube	Polyuréthane
Connecteurs	Polyuréthane / ABS
Poids	Tungstène
Guide	Inox

- Ne contient pas de produits d'origine animale ou biologique
- Ne contient aucun médicament ou produit dérivé du sang humain
- Ne contient pas de latex, pas de DOP/DEHP, pas de bisphénol A

Stérilisation

- Stérilisé à l'oxyde d'éthylène
- Le processus de stérilisation est validé selon la norme EN ISO 11135 version actuelle
- Les résidus d'oxyde d'éthylène répondent aux exigences de la norme ISO 10993-7 version actuelle

Sécurité d'utilisation

- Usage unique
- Conserver dans un endroit propre et sec à température ambiante
- Expiration 2 ans à compter de la date de fabrication
- Durée d'utilisation recommandée pour les sondes pédiatriques : 7 jours
- Durée d'utilisation recommandée pour les tubes adultes : 3 à 4 semaines
- Indications, contre-indications et mises en garde : voir mode d'emploi

Réglementaire

Réglementation européenne applicable	MDR (UE) 745/2017
Classe DM	IIa
Organisme notifié	DQS-CE0297
Numéro d'enregistrement du certificat	551177 MDR2017Q
ID du certificat	100033594
Premier lancement sur le marché de l'UE	2024
Fabricant	Hoist-Médical
Correspondant Materio-vigilance	Bernard Daurelle Téléphone : +33 607 386 354 Courriel : Bernard.daurelle@hoist-medical.com

Renseignements administratifs

Adresse	Hoist-Médical 23 Quai de Rive Neuve 13007 Marseille France
Téléphone	+33 4 91767329
courriel	commercial@hoist-medical.com
Site Web	hoist-medical.com